

01500

---

## Workster Basic W1-01500

---

Chair with footring, W1-H-B-FR4; beech

---

Chair with footring, W1-H-B-FR4; beech

Item no.: 01500

EAN no.: 4260046920847

**Categories:** [Chairs](#), [Industry](#), [mey green](#), [SALE %](#), [Sections](#),  
[W1 swivel work chair](#), [Work chairs](#), [Workster Basic](#)

---



|                               |                      |
|-------------------------------|----------------------|
| <b>Matchcode</b>              | W1-H-B-FR4; beech    |
| <b>EAN</b>                    | 4260046920847        |
| <b>Capacity</b>               | 120 kg               |
| <b>Seat dimensions</b>        | 440 x 390 mm (W x D) |
| <b>Seating color</b>          | beech natural        |
| <b>Seating material</b>       | Beech                |
| <b>Seat height</b>            | High                 |
| <b>Seat height adjustment</b> | Gas spring           |

|                                     |  |
|-------------------------------------|--|
| <b>Seat height adjustment by</b>    | Lever release  |
| <b>Seat height adjustment range</b> | 520 – 770 mm   |
| <b>Seat functions</b>               | Adjustable in angle, Adjustable in height, Rotatable   |
| <b>Back measurements</b>            | 380 x 250 mm (W x H)   |
| <b>Back color</b>                   | beech natural  |
| <b>Back material</b>                | Beech  |
| <b>Back functions</b>               | Adjustable in angle, Adjustable in height, Pendular mounted  |
| <b>Footring</b>                     | Steel, Diameter 580 mm, not rotatable, Adjustable in height  |
| <b>Base</b>                         | Steel, 660 mm (Diameter)   |
| <b>Foot</b>                         | Gliders  |
| <b>Weight</b>                       | 16,5 kg  |
| <b>Total weight</b>                 | 20,0 kg  |
| <b>Labels</b>                       | mey green  |
| <b>Certificate</b>                  | GS certificate, FSC-certificate, This product is compliant according to the REACH regulation of the European Union |

**Certificate**

GS-certificate, FSC-certificate, This product is compliant according to the REACH regulation of the European Union

**Note**

All dimensions are approximate